The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-24946

Stream : Mud Creek

Applicant : Memory Lane Development

Jeff Roland

6038 West 25th Street Speedway, IN 46224-3624

Description : An entrance drive will be constructed on compacted fill for a proposed 32,950

square foot retirement living facility located outside of the floodway. A 15" culvert under the proposed drive is also proposed as part of a drainage system for the

property. A total of approximately 605 cubic yards of fill will be required.

Modifications to curbs and gutters along Brooks School Road will be made as well. Details of the project are contained in information and plans received at the

Division of Water on August 7, 2008 and September 4, 2008.

Location : Beginning approximately 550' north of the Brooks School Avenue and East 116th

Street intersection, extending 600' north and 800' east near Fishers, Fall Creek Township, Hamilton County

SE1/4, SE1/4, Section 34, T 18N, R 5E, McCordsville Quadrangle

Quad Code: 3908588

UTM Coordinates: Downstream 4423912 North, 590448 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24949

Stream : Jacks Defeat Creek

Applicant : Freeda B Stewart

Wallace E Stewart , POA 2750 Crabapple Circle

Bloomington, IN 47401-9305

Description : A portion of Jacks Defeat Creek will be returned to its original channel. The earth

buildup across from the eroded streambank will be moved to fill the eroded area. The bank will then be covered with approximate 6" by 12" slabs of limestone. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans

received at the Division of Water on August 12, 2008.

Location : Approximately 1700' upstream of the State Road 46 crossing over Jacks Defeat

Creek

near Ellettsville, Richland Township, Monroe County

SE1/4, SE1/4, Section 10, T 9N, R 2W, Bloomington Quadrangle

Quad Code: 3908625

UTM Coordinates: Downstream 4341878 North, 533181 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24966

Stream : South Fork Blue River

Applicant : Clair Sullivan Jr

PO Box 247

Pekin, IN 47165-0247

Description : Approximately 600' of a sand and gravel bar will be removed from the channel to

restore normal flow patterns and deter further erosion. The excavated material will be placed on the property landward of the floodway. Details of the project are contained in information and plans received at the Division of Water on August

25, 2008 and September 15, 2008.

Location : Along the north (right) stream bank, beginning approximately 1,900' upstream

from the confluence of an unnamed tributary and continuing upstream

approximately 600'

DOWNSTREAM: near Pekin, Polk Township, Washington County NE¼, NE¼, Sextion 19, T 1N, R 5E, South Boston Quadrangle

Quad Code: 3808558

UTM Coordinates: Downstream 4262702 North, 587575 East

UPSTREAM:

UTM Coordinates: Upstream 4262753 North, 587714 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24973

Stream : Cady Marsh Ditch

Applicant : Town of Griffith

Rick Konopasek

Town Hall

111 North Broad Street Griffith, IN 46319-2218

Description : Approximately 1300' of Cady Marsh Ditch will be altered for the Cady Marsh Ditch

Local Flood Protection Project. The channel alignment will be modified slightly due to installing new steel sheet piling along the north and south sides of the ditch. New drain outlets into the ditch will be constructed at several locations. Riprap and bedding material will be placed at the new drain outlets and at specific locations in the channel bottom to prevent erosion. A new steel sheet pile cutoff wall will be placed across the channel bottom and up to the north and south side slopes of the channel where the new channel bottom meets up with the existing channel bottom. Details of the project are contained in information and plans

received at the Division of Water on September 2, 2008.

Location : At the Colfax Avenue stream crossing and continuing 5,200' downstream

DOWNSTREAM: at Griffith, St. John Township, Lake County

S½, Section 26, T 36N, R 9W, Highland Quadrangle

Quad Code: 4108754

UTM Coordinates: Downstream 4599393 North, 464026 East

UPSTREAM:

UTM Coordinates: Upstream 4598960 North, 465537 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24977

Stream : East Fork White River

Applicant : Wayne County Board of Commissioners

Mary C Heyob, President 401 East Main Street Richmond, IN 47374-4211

Description : A large logiam created by the June 2008 storm event will be removed and

approximately 250 cubic yards of sand and gravel will be removed from a 180' long reach of the stream. The excavated material from the gravel bar will be placed along the eroded south bank and protected with 480 tons of riprap. Details of the project are contained in information and plans received at the

Division of Water on September 4, 2008.

Location : Upstream of Bridge #266, located on North 24th Street, 300 feet south of the

North 24th Street and State Road 121 intersection near Richmond, Wayne Township, Wayne County

NW1/4, NW1/4, NW1/4, Section 34, T 14N, R 1W, New Paris, OH-IN Quadrangle

Quad Code: 3908477

UTM Coordinates: Downstream 4412480 North, 682238 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24978

Stream : Greens Fork

Applicant : Wayne County Board of Commissioners

Mary C Heyob, President 401 East Main Street Richmond, IN 47374-4211

Description : A large logiam created by the June 2008 storm event will be removed and

approximately 2400 cubic yards of gravel and sand bars will be removed. The excavated material will be placed along 150' of the eroded west bank and 130' of the eroded east bank and protected with 360 tons of riprap. Details of the project

are contained in information and plans received at the Division of Water on

September 4, 2008.

Location : At the County Bridge # 72, the Moyer Road stream crossing, extending upstream

approximately 500 feet

near Centerville, Harrison Township, Wayne County

SE14, NE14, NE14, Section 9, T 16N, R 13E, Jacksonburg Quadrangle

Quad Code: 3908571

UTM Coordinates: Downstream 4413664 North, 664945 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24980

Stream : School Branch

Applicant : Hendricks County

John Ayers, PE

355 South Washington Street, #209

PO Box 51

Danville, IN 46122-0051

Description : The existing single span steel beam bridge will be replaced with a three span

reinforced concrete slab bridge with span lengths of 35', 45', and 35'. The abutments and piers will be skewed 33 degrees. The spill slopes will be 2:1 and lined with rip-rap. The existing structure will removed. Details of the project are

contained in information and plans received at the Division of Water on

September 5, 2008.

Location : At the East County Road 700 North stream crossing

DOWNSTREAM: near Brownsburg, Brown Township, Hendricks County

SE¼, SW¼, SW¼, Section 31, T 17N, R 2E, Clermont Quadrangle

Quad Code: 3908673

UTM Coordinates: Downstream 4413072 North, 555517 East

UPSTREAM:

UTM Coordinates: Upstream 4413076 North, 555512 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24981

Stream : Killbuck Creek

Applicant : Delaware County Highway Department

Michael Denton

7700 East Jackson Street Muncie, IN 47303-9265

Description : A 30" diameter HDPE storm sewer line will be installed to provide additional

drainaged. An outfall structure will be constructed at the end of the storm sewer line within the floodway of Killbuck Creek. Riprap and filter fabric will be placed and extend approximately 5' from the outfall structure. Details of the project are

contained in information and plans received at the Division of Water on

September 8, 2008.

Location : Beginning approximately 160' north and 65' west of the North Ravenwood Drive

and West Sun Valley Parkway intersection and extending 90' northwest, 245'

north and 30' northwest

DOWNSTREAM: near Muncie, Hamilton Township, Delaware County SE¹/₄, NE¹/₄, SW¹/₄, Section 17, T 21N, R 10E, Wheeling Quadrangle

Quad Code: 4008534

UTM Coordinates: Downstream 4458731 North, 634662 East

UPSTREAM:

UTM Coordinates: Upstream 4458731 North, 634662 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24984

Stream : Clifty Creek

Applicant : TEPPCO

Randy Robison

6515 Commerce Drive Seymour, IN 47274

Description : A 35' x 40' Ercoform Articulating Grout Mat, consisting of woven polyester cables

pumped full of a sand cement mixture, over filter fabric will be used to cover an existing, exposed 14" diameter pipeline. Prior to placing the filter fabric and grout mat, the pipeline will be covered with a rock shield. The project will include the cutting and contouring of the project area to and acceptable slope. This project is an extension of previously installed project # FW-20833. Details of the project are contained in information received electronically at the Division of Water on September 9, 2008 and in plans and information received at the Division of Water

on

Location : Approximately 2482' east and 900' north of the Taylor Road and US 31

intersection

near Columbus, Columbus Township, Bartholomew County

Section 21, T 9N, R 6E, Elizabethtown Quadrangle

Quad Code: 3908527

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24987

Stream : Ohio River

Applicant : City of Mount Vernon

Mayor John Tucker 520 Main Street

Mt. Vernon, IN 47620-1846

Description : The southern portion of East Water Street will be reconstructed to include a 12'

lane, 5' access aisle, and an 8' parallel parking lane. Five 140' by 70' grass terraces will be constructed along the riverbank. A 14" sidewalk and steps from East Water Street to the terraces will also be constructed. Details of the project are contained in information and plans received at the Division of Water on

September 10, 2008.

Location : Beginning at the intersection of College Avenue and East Water Street and

extending approximately 1440' northeast and 775' southeast

near Mt. Vernon, Black Township, Posey County

SE1/4, Section 8, T 7S, R 13W, Mount Vernon, IN-KY Quadrangle

Quad Code: 3708788

UTM Coordinates: Downstream 4198262 North, 421268 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24989

Stream : Juday Ditch

Applicant : St. Joseph County

Jessica Clark, PE

227 West Jefferson Boulevard, Room 732

South Bend, IN 46601-1380

Description : A new bridge will be constructed over Juday Ditch to carry vehicles across the

stream. The new structure will be a single-span reinforced concrete three sided arch top bridge with span length of 20'. The structure will have an out-to-out length of 22' and a clear roadway width of 36'-6". The spill through abutments will

have a 3:1 sideslopes armored with open cell articulated concrete blocks

revetment mats on geotextile filter fabric. The abutments and piers will be skewed 10 degrees to align with streamflow. The approach roads will be elevated a maximum of 9" above the existing grade. The existing bridge will be completely removed from the floodway prior to construction of the new crossing. The project is locally funded. Details of the project are contained in information and plans

received at the Division of Water on September 11, 2008.

Location : At the Kenilworth Road crossing

DOWNSTREAM: near South Bend, Clay Township, St. Joseph County SE¼, SE¼, SE¼, Section 23, T 38N, R 2E, South Bend West Quadrangle

Quad Code: 4108663

UTM Coordinates: Downstream 4619413 North, 561930 East

UPSTREAM: St. Joseph County SW¼, SW¼, SW¼, Section 24

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 11 09/18/2008 9:20 AM

Application # : FW-24995

Stream : Rattlesnake Creek

Applicant : Roach Family Farms LLC

Joseph A O'Donnell 11974 N 1000 W

Monticello, IN 47960-8005

Description : Approximately 195' of Rattlesnake Creek's eroded north and east streambank will

be stabilized with riprap to protect the bank from further erosion. The riprap will be keyed into the streambed at its base and will conform to the existing bank at the project limits. It will have a maximum height of 4', a maximum streamward projection of 2' beyond the existing bank, and (varies 2 to 4):1 sideslopes. The stream bank downstream of the stabilized area will be smoothed and shaped to facilitate maintenance. Details of the project are contained in information received electronically at the Division of Water on September 16, 2008 and in plans and

information received at the Division of Water on

Location : At the confluence of Beck Ward Ditch at the intersection of County Road 925

West and County Road 1200 North between County Roads 925 West and 900

West

near Yeoman, Jefferson Township, Carroll County Section 12, T 26N, R 3W, Yeoman Quadrangle

Quad Code: 4008666

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24996

Stream : St. Joseph River

Applicant : Douglas E DeSmith

3448 Fox Chase

Bristol, IN 46507-8783

Description : Approximately 110' of eroded south (left) streambank will be stabilized with riprap

to protect the bank from further erosion. The riprap will be keyed into the

streambed at its base and will conform to the existing bank at the project limits. It

will have a maximum height of 5', a maximum streamward projection of 4' beyond the existing bank, and 1:1 sideslopes. Also a steel piling cantilevered deck 8' wide x 30' long will be constructed parallel to the shoreline with the pilings

embedded in the riprap. Details of the project are contained in information received electronically at the Division of Water on September 16, 2008 and in

plans and information received at the Division of Water on

Location : Along the south (left) bank of the St Joseph River approximately 8100'

downstream from the County Road 8 bridge crossing at Bristol, Washington Township, Elkhart County NE½, Section 28, T 38N, R 6E, Bristol Quadrangle

Quad Code: 4108567

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24997

Stream : St. Joseph River

Applicant : James N Howell

3484 Fox Chase Bristol, IN 46507

Description : Approximately 100' of eroded south (left) streambank will be stabilized with riprap

to protect the bank from further erosion. The riprap will be keyed into the

streambed at its base and will conform to the existing bank at the project limits. It will have a maximum height of 5', a maximum streamward projection of 4' beyond the existing bank, and 1:1 sideslopes. Also a steel piling cantilevered deck 8' wide x 30' long will be constructed parallel to the shoreline with the pilings embedded

in the riprap. Details of the project are contained in information received

electronically at the Division of Water on September 16, 2008 and in plans and

information received at the Division of Water on

Location : Along the south (left) bank of the St. Joseph river beginning approximately 7900'

downstream from the County Road 8 bridge crossing at Bristol, Washington Township, Elkhart County NE½, Section 28, T 38N, R 6E, Bristol Quadrangle

Quad Code: 4108567

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24999

Stream : Patoka River

Applicant : Pioneer Oil Company

Don Jones

Rural Route 4 Box 142B

Lawrenceville, IL 62439-9513

Description

Pioneer Oil intends to install a well, including a 5.5" steel pipe for oil pumping purposes. The installation of the well will include 0.28 acre of temporary impact and 0.08 acre of permanent impact to an emergent wetland area with very young volunteer woody species. Temporary impacts include the placement of casing racks, four tubs for steel pipe storage, a portable trailer, and a mud pump. The placement of these materials will not require any earth moving activities. Four pits will be excavated to a depth of five feet for storage of materials excavated during the installation of the well. All excavated materials will be stored on the 0.32 acre area. Minor earth moving activities will be required to level the area for the rig base. A 15' wide gravel service road will be permanently installed from the existing gravel road to the well (247 linear feet) for maintenance purposes. Of the 0.32 acre site, 0.08 acre (service road and 5.5" steel pipe) will be permanently impacted. The 0.32 acre of temporarily disturbed wetland area will be restored to the original profile and contours and revegetated, in coordination with the Patoka River National Wildlife Refuge and Management Area. Details of the project are contained in information received electronically at the Division of Water on September 17, 2008 and in plans and information received at the Division of Water on

Location

: At the Patoka River National Wildlife Refuge and Management Area

near Wheeling, Center Township, Gibson County E½, Section 32, T 1S, R 9W, Union Quadrangle

Quad Code: 3808744

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-25000

Stream : Clifty Creek

Applicant : *Indiana Department of Transportation

Richard L Phillabaum

100 North Senate Avenue, Room N642

Indianapolis, IN 46204-2216

Description : The existing single span concrete bridge carrying US 31 over the Clifty Creek

overflow channel will be removed and replaced with a new single-span concrete I-beam structure with a span length of 74.8'. The structure will be constructed on concrete end bents supported by steel piling and will have an out to out length of 76.4' and a total width of 86.9' and a clear roadway width of 52.8'. The structure will be built with no skew. Channel clearing will extend from 108.3' south to 98.4' north of centerlline of US 31. InDOT Des No. 9800232. Details of the project are

contained in information and plans received at the Division of Water on

September 17, 2008.

Location : At the US 31 stream crossing approximately 300' south east of the US 31 and

Taylor Road intersection

at Columbus, Columbus Township, Bartholomew County

SE14, SE14, NE14, Section 20, T 9N, R 6E, Columbus Quadrangle

Quad Code: 3908528

UTM Coordinates: Downstream 4340699 North, 596955 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : PL-21170

Lake : Koontz Lake

Applicant : Tom Quinn

11782 East South Street Walkerton, IN 46574-7320

Description : A concrete seawall will be refaced with a layer of concrete across 50' of the

applicant's 50' frontage. The reface layer will be keyed to the wall's lakeward face. The refacing will have a maximum thickness of 12". A 12" wide layer of riprap will be placed at the base of the seawall reface for toe protection. Details of the project are contained in information and plans received at the Division of

Water on September 8, 2008.

Location : 11782 East South Street; beginning approximately 330' west and 365' north of

the East South Avenue and North Anderson Drive intersection and extending 50'

along the property's frontage

DOWNSTREAM: near Walkerton, Oregon Township, Starke County SW1/4. SE1/4. NE1/4. Section 12. T 34N. R 1W. Walkerton Quadrangle

Quad Code: 4108644

UTM Coordinates: Downstream 4584650 North, 544245 East

UPSTREAM:

UTM Coordinates: Upstream 4584650 North, 544245 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11